

**SFTP Setup in eFileReady for
using eFileReady-provided
SFTP services**

User Guidance



Table of Contents

<u>About this Guidance</u>	3
<u>1. Background</u>	4
<u>2. Pre-requisites</u>	4
<u>3. How to configure ' eFileReady SFTP ' Setup</u>	5
3.1 <u>Action 1 : Log in to eFileReady application</u>	5
3.2 <u>Action 2 : Request SFTP credentials</u>	6
3.3 <u>Action 3 : Download SFTP configuration file for FileZilla</u>	8
3.4 <u>Action 4: Download and install FileZilla</u>	8
3.5 <u>Action 5 : Import configuration file to FileZilla</u>	9
3.6 <u>Action 6 : Establish SFTP connection</u>	10
3.7 <u>Action 7 : Transfer CSV file to eFileReady server</u>	11
<u>4. When will the files be processed</u>	13
<u>5. Time limits for SFTP processing</u>	14
<u>6. CIS Test sample Email screenshots</u>	15
<u>7. CIS300 Monthly Return Test JSON samples</u>	17
<u>8. CIS Verification Test JSON samples</u>	18
<u>9. RTI FPS Test sample Email screenshots</u>	21
<u>10. RTI FPS Test JSON samples</u>	23

About this Guidance

This guidance provides a detailed procedure about how to create SFTP account in eFileReady, upload files to eFileReady SFTP location and harness the HMRC Efiling capabilities of eFileReady.

1. Background

SFTP (Secure File Transfer Protocol) is an extension of FTP that uses secure shell (SSH) protocol to secure the transfer of files.

This guide is only for users who do not have their own SFTP server, but want to use SFTP mode to transfer files to eFileReady. Such users can create SFTP account in eFileReady, and further drop e-filing data into their SFTP account. Typically, eFileReady will pick the files from this SFTP location, pre-validate them for HMRC XML Schema data conformance and Business rules, and further deliver the data to HMRC.

Any user of eFileReady, can create SFTP account within their account . This means you, as a user , can send HMRC E-filing data for services such as CIS, RTI etc. and receive responses with 'HMRC IRMark Digital Receipt' details in a secure way . You can also get notifications and file processing Status updates through Email .

2. Pre-requisites

- To use eFileReady SFTP services you must have an account in eFileReady. You must signup with eFileReady and complete the activation process and the Signin process.
- Further, to efile data to HMRC, you must enter the HMRC E-filing credentials in the 'E-filing Credentials Setup' section of your eFileReady account.

3. How to configure ' eFileReady SFTP ' Setup

3.1 Action 1 : Log in to eFileReady application.

' eFileReady SFTP ' Setup is a one-time setup to create an SFTP account in eFileReady. For this, log in to your account, and continue with the Welcome page. You will then land on the 'Employer Details' page. Click on the 'eFileReady SFTP SETUP > CIS' link




Figure 3.1 eFileready SFTP setup

3.2 Action 2 : Request SFTP credentials

Click on **'Request SFTP Credentials'** , the fields SFTP Server Host Name, SFTP Login User ID, Input Folder Name, Output Folder Name will be auto-populated with values. These fields are non-editable and generated by eFileReady. Please note down these details carefully. These are the details which you must use later to connect to eFileReady SFTP server using SFTP-client software.

'Input Folder Name' is the folder where in you will drop the CIS CSV files.

'Output Folder Name', is the folder where in eFileReady will drop the Status responses (in JSON format) .

Fill in the SFTP Login Password of your choice and re-enter the Password for confirmation purposes. Fill in the Email details , that is the Emails to which eFileReady will send response details with JSON attachments.

The screenshot shows a web form titled "EfileReady SFTP Setup Edit" with a red question mark icon. At the top right are "Back" and "Save" buttons. Below the title is a legend: "(*) = required fields". The main section is titled "SFTP Details" and contains the following fields:

- SFTP Server Hostname / IP *
- SFTP Login User ID *
- Input Folder Name *
- Output Folder Name *
- Enter SFTP Login Password *
- Re-enter SFTP Login Password *

There are two "Request SFTP Credentials" buttons, one of which is highlighted with a red box. A question mark icon is located to the right of the password fields.

Figure 3.2.1 Request SFTP credentials

Click on **'Save'** and wait , eFileReady will create SFTP account with the given details, and connect to your SFTP account. You will get an instant message on the page about the connection. eFileReady SFTP account is ready for use now.

After successfully setting up eFileReady VAT SFTP credentials, a page will be displayed as shown in Figure 3.2.2

SFTP Details	
SFTP Server Hostname / IP	demoSFTP.efileready.com
SFTP Login User ID	9AKB5TMG3CFSD
Input Folder Name	Inbox
Output Folder Name	Outbox
SFTP Login Password	*****

Contact Details	
Contact Person Name	Redford Robert
System Administrator Email	demo@demo.com
1st Operator's Email	demo1@mail.com
2nd Operator's Email	demo2@mail.com
3rd Operator's Email	demo3@mail.com
4th Operator's Email	demo4@mail.com
5th Operator's Email	demo5@mail.com
Contact Tel. No. 1	020 1234 5678
Contact Tel. No. 2	020 1234 5678

Figure 3.2.2 SFTP Details

3.3 Action 3 : Download SFTP configuration file for FileZilla

To upload files using SFTP you will need an SFTP client software service provider to connect to eFileReady SFTP server. Following are the instructions to connect FileZilla client software to eFileReady SFTP server.

Click on “**Download SFTP Configuration for FileZilla**” button. An XML format configuration file will be downloaded immediately. eFileReady provides the configuration file for each of the FTP users. This file can be directly imported to FileZilla to configure SFTP.




Figure 3.3 Download SFTP Configuration for FileZilla

3.4 Action 4: Download and install FileZilla

We recommend you to download the latest version of FileZilla. Click on the link below to download the latest version.

https://filezilla-project.org/download.php?show_all=1

Once downloaded, proceed to install FileZilla.

3.5 Action 5 : Import configuration file to FileZilla

Open FileZilla to import the downloaded configuration file.

1. Go to **File** → **Import**




Figure 3.5.1 Import

2. Browse the configuration file. Select the eFileReady configuration XML file. **Click “Open”** → **Click “OK”**




Figure 3.5.2 Open configuration file




Figure 3.5.3 Import settings

Once the import process is completed, an “Import Successful” message will be displayed. The eFileReady SFTP site will be created. Now proceed to establish the SFTP connection to eFileReady.

3.6 Action 6 : Establish SFTP connection

1. Go to **File** → **Site Manager**.




Figure 3.6.1 Site Manager

2. Select the eFileReady SFTP Server from the “**My Sites**” list. All the credentials will be automatically extracted from the configuration file.
3. Click on “**Connect**” to establish SFTP connection and transfer your files to eFileReady.




Figure 3.6.2 Establish SFTP connection

3.7 Action 7 : Transfer CSV file to eFileReady server

Once the connection is established, you can transfer the CSV file from your local directory to the eFileReady SFTP server. To transfer, you'll need to drag and drop the file to the appropriate folder.

Follow the steps to upload files to eFileReady SFTP server

1. First, drag and drop the CSV file to the "inbox" folder(Refer Figure 3.7.1).




Figure 3.7.1 Drag and Drop file in inbox folder

2. Check the file transfer status from the information window of FileZilla(Refer Figure 3.7.2). If status is displayed as “Successful” you can continue with the following steps.
3. Drag and drop the “done” file to the “inbox” folder (The “done” file is an empty file used to indicate that the data file is ready to be taken for processing).
4. The system will automatically proceed for e-filing after the done file upload. You'll be further acknowledged with the e-filing status e-mail at each level of processing.




Figure 3.7.2 Check file transfer status

4. When will the files be processed

eFileReady has the following two strategies to pick the files dropped in 'Input Folder' for processing :

4.1. "Done" file strategy

4.2. "No Done" file strategy

eFileReady uses **"Done"** File strategy, as default, for accepting files through SFTP channel. That is, your CSV file will be consumed or accepted instantly only if 'done' file exists. The 'done' file would just be an empty file, only used to indicate that the data file is ready to be taken for processing.

For e.g if 'CIS300_10.csv' is the name of the file to be transferred to eFileReady, then the associated 'done' file would be named as 'CIS300_10.csv.done'. So, you must first drop the CSV file 'CIS300_10.csv' in the 'Input Folder'. Then drop the associated 'done' file, that is

'CIS300_10.csv.done' into the 'Input Folder'.

Alternatively, you can make use of the **"No Done"** file strategy, if it is inconvenient for you or the Third-party software to implement the "done" file creation along with data file. In this strategy, it is important to know the timings, when the file will be picked up for processing. Please check the section "Time limits for SFTP processing" for more information.

In general, for this case, you can drop the CSV files alone, before 8.00pm . eFileReady will pick them all late evening , and process them. That is, the file processing will not happen instantly , but will happen at a fixed time in the evening.

5. Time limits for SFTP processing

00:00 Hrs to 21:59 Hrs: "Done" file strategy will be active, i.e., the files are processed instantly soon after the "done" file is made available along with the CSV file.

22:00 Hrs to 23:59Hrs: "No Done" file strategy will be active, i.e., the files with no "done" file will be processed. However, there is a time constraint which is, files must be uploaded on or before 20:00Hrs for processing.

For example,

a) if we consider CIS300_11.csv is uploaded to the 'Input Folder' @19:30Hrs, this file will be picked up at 22:00 Hrs when the "No Done" file strategy will be active.

b) If we consider CIS300_12.csv is uploaded to the 'Input Folder' @20:10Hrs this file will not be picked up at 22:00Hrs as the time limit of 20:00 has crossed. This file will be picked up for processing the following day @22:00Hrs.

6. CIS Test sample Email screenshots




Figure 6.1 CIS Test Sample




Figure 6.2 CIS eFiling in Progress




Figure 6.2 CIS eFiling Completed

7. CIS300 Monthly Return Test JSON samples

```
{
  "correlationId": "2200AA26ABDA0E095D5836304C7227AA",
  "statusCode": "initiated",
  "stage": "",
  "status": "Data processing is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "2200AA26ABDA0E095D5836304C7227AA",
  "statusCode": "in_progress",
  "stage": "submission_initiated",
  "status": "Data submission is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "2200AA26ABDA0E095D5836304C7227AA",
  "statusCode": "completed",
  "status": "Data processing is completed without any errors.",
  "providerId": "HMRC",
  "providerRefId": "B6C9B18F795241D69CEC81E9B920C232",
  "providerMessage": "HMRC has received the IR-CIS-CIS300MR document
ref: 123/R015 at 22.01 on 06/09/2017. The associated IRmark was:
3A0OWP2STBUH4JHURJ3NU5PH27DHCV2H. We advise you to keep this receipt in
both electronic and hardcopy versions for your records. You may wish to
use them to identify your submission in the future."
}
```

8. CIS Verification Test JSON samples

```
{
  "correlationId": "6A281391B5CDF594048DFB81BF98B0D6",
  "statusCode": "initiated",
  "stage": "",
  "status": "Data processing is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "6A281391B5CDF594048DFB81BF98B0D6",
  "statusCode": "in_progress",
  "stage": "submission_initiated",
  "status": "Data submission is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "6A281391B5CDF594048DFB81BF98B0D6",
  "statusCode": "completed",
  "status": "Data processing is completed without any errors.",
  "providerId": "HMRC",
  "providerRefId": "A67F3F286A0249008FEFF3BA636816A5",
  "providerMessage": "HMRC has received the IR-CIS-VERIFY document ref:
123/R015 at 07.38 on 06/09/2017. The associated IRmark was:
UVNYRCF2ICIKNFHVEPYISFX26ZT4EDKGP. We advise you to keep this receipt in
both electronic and hardcopy versions for your records. You may wish to
use them to identify your submission in the future.",
  "responseDetails": {
    "contractorName": "J J SERVICES",
    "contractorUtr": "4325648151",
    "contractorAoRef": "123PP87654321",
    "subcontractors": [
      {
        "name": "John Smith",
```

```
"utr": "2234567890",
"worksRef": null,
"crn": "",
"nationalInsuranceNumber": "YW000003A",
"partnerDetails": "",
"matchStatus": "matched",
"taxTreatment": "net",
"verificationNumber": "V5678912345"
},
{
  "name": "Fred George Bingham",
  "utr": "9345678901",
  "worksRef": null,
  "crn": "",
  "nationalInsuranceNumber": "",
  "partnerDetails": "",
  "matchStatus": "unmatched",
  "taxTreatment": "unmatched",
  "verificationNumber": "V5678912345A"
},
{
  "name": "Christopher Andrew Biggins",
  "utr": "7234567892",
  "worksRef": null,
  "crn": "",
  "nationalInsuranceNumber": "YW000011A",
  "partnerDetails": "Happy Plumbers / 6456789012",
  "matchStatus": "matched",
  "taxTreatment": "gross",
  "verificationNumber": "V5678912345"
},
{
  "name": "Denby Roofing",
```

```
    "utr": "2567890123",
    "worksRef": null,
    "crn": "",
    "nationalInsuranceNumber": "",
    "partnerDetails": "",
    "matchStatus": "unmatched",
    "taxTreatment": "unmatched",
    "verificationNumber": "V5678912345B"
  }
]
}
}
```

9. RTI FPS Test sample Email screenshots




Figure 9.1 FPS eFiling initiated




Figure 9.2 FPS eFiling In Progress




Figure 9.3 FPS eFiling Completed

10. RTI FPS Test JSON samples

```
{
  "correlationId": "F389C495AC33797E038642D5C5B72E52",
  "statusCode": "initiated",
  "stage": "",
  "status": "Data processing is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "F389C495AC33797E038642D5C5B72E52",
  "statusCode": "in_progress",
  "stage": "submission_initiated",
  "status": "Data submission is initiated.",
  "successTimestamp": null
}
{
  "correlationId": "F389C495AC33797E038642D5C5B72E52",
  "statusCode": "completed",
  "status": "Data processing is completed without any errors.",
  "providerId": "HMRC",
  "providerRefId": "060D375FD7CA476F84D0A49F274DCAE4",
  "providerMessage": "HMRC has received the HMRC-PAYE-RTI-FPS document
ref: 548/A548 at 07.57 on 01/03/2018. The associated IRmark was:
YYSR2MAELBFQRB67M4E47747H4BN6TEW. We strongly recommend that you keep
this receipt electronically, and we advise that you also keep your
submission electronically for your records. They are evidence of the
information that you submitted to HMRC. Thank you for your submission"
}
```